



PRESS RELEASE

MEGA URANIUM LTD.: "MGA" (TSX-V)

FOR IMMEDIATE RELEASE: February 14, 2006

**HAMLIN-SHEBANDOWAN HOLE 06-39 INTERSECTS TWO WIDE
COPPER-GOLD-SILVER-MOLYBDENUM ZONES**

- **10.5 metres grading 0.57% Copper or 0.89% Copper Equivalent includes 0.994% Copper or 1.568% Copper Equivalent over 4 metres**
- **72 meters grading 0.42% Copper or 0.74% Copper Equivalent includes 0.84% Copper or 1.18% Copper Equivalent over 3 metres and 0.60% Copper or 0.96% Copper Equivalent over 17 metres**
- **Follow up drilling is ongoing with two drills on the Hamlin property**

Toronto, Ontario, Canada, February 14, 2006 – Mega Uranium Ltd. ("Mega") (MGA-TSX-V) (through its Maple Minerals division) and East West Resource Corporation (TSX-V: EWR) are pleased to report continued drilling results from the 77 claim unit Hamlin property, which is located 110km west of Thunder Bay, Ontario, and is connected to Highway 11 by gravel road. The eastward continuation of the geological trend is covered for another 5.5km by the Deaty Creek property, which is contiguous to the east where one drill is operating.

Geological details:

Hole HAM06-39 drilled on section 450E at -60° was drilled to test a copper zone intersected in Hole HAM05-33 on section 500E. Hole 39 intersected a 72m copper zone that extends the zone 50m west from HAM 33 and also extends the zone 50m deeper. Follow up drilling will now be done above, below and to the east to trace the extent of the mineralized zone. This hole is significant in that higher grade copper is now being seen at depth beneath narrower copper zones near surface along the northern contact of the host breccia rocks and felsic volcanics to the north of the breccia.

Gold and silver values still correlate with the copper and more evidence of pyrite being replaced by copper is being noted.

Hole HAM-06-39

Ticket #	From (m)	To (m)	Length (m)	Cu (ppm)	Cu (%)	Cu (lbs/ton)	Ag (g/t)	Au (g/t)	Mo (ppm)	Mo (lbs/ton)	Cu Eqv. (%)
753547	51.00	51.50	0.50	7520	0.752	15.04	1.9	0.349	168	0.336	1.173
753548	51.50	52.50	1.00	4380	0.438	8.76	1.5	0.287	45	0.090	0.629
753549	52.50	53.50	1.00	1890	0.189	3.78	1.6	0.095	22	0.044	0.270
753550	53.50	54.50	1.00	1330	0.133	2.66	0.9	0.067	17	0.034	0.191
753901	54.50	55.50	1.00	1325	0.133	2.65	1.0	0.062	21	0.042	0.196
753902	55.50	56.50	1.00	4770	0.477	9.54	2.9	0.339	142	0.284	0.857
753903	56.50	57.50	1.00	2190	0.219	4.38	1.4	0.112	45	0.090	0.344
753904	57.50	58.50	1.00	7850	0.785	15.70	4.9	0.325	114	0.228	1.124
753905	58.50	59.50	1.00	11400	1.140	22.80	8.7	0.547	243	0.486	1.799
753906	59.50	60.00	0.50	6780	0.678	13.56	7.4	0.463	102	0.204	1.063
753907	60.00	61.00	1.00	8480	0.848	16.96	8.2	0.629	78	0.156	1.260
753908	61.00	61.50	0.50	17300	1.730	34.60	16.8	0.986	551	1.102	3.112
Wtd. Avg.			10.50	5659	0.566	14.33	4.2	0.320	108.3	0.295	0.890

HAM-06-39

Ticket #	From (m)	To (m)	Length (m)	Cu (ppm)	Cu (%)	Cu (lbs/ton)	Ag (g/t)	Au (g/t)	Mo (ppm)	Mo (lbs/ton)	Cu Eqv. (%)
754025	189.00	190.00	1.00	2340	0.234	4.68	1.4	0.068	45	0.090	0.342
754026	190.00	191.00	1.00	12100	1.210	24.20	6	0.298	109	0.218	1.537
754027	191.00	192.00	1.00	1955	0.196	3.91	1.3	0.054	164	0.328	0.496
754028	192.00	193.00	1.00	4900	0.490	9.80	3.2	0.196	135	0.270	0.806
754029	193.00	194.00	1.00	3130	0.313	6.26	2	0.087	144	0.288	0.597
754030	194.00	195.00	1.00	3890	0.389	7.78	2.2	0.100	108	0.216	0.619
754031	195.00	196.00	1.00	3570	0.357	7.14	2.2	0.102	63	0.126	0.513
754032	196.00	196.85	0.85	3500	0.350	7.00	1.7	0.096	34	0.068	0.452
754033	196.85	197.35	0.50	22200	2.220	44.40	10.1	0.333	168	0.336	2.682
754034	197.35	198.00	0.65	1345	0.135	2.69	0.8	0.051	28	0.056	0.205
754035	198.00	199.00	1.00	1315	0.132	2.63	0.7	0.061	33	0.066	0.213
754036	199.00	200.00	1.00	2720	0.272	5.44	1.4	0.086	89	0.178	0.460
754037	200.00	201.00	1.00	2200	0.220	4.40	1.1	0.078	47	0.094	0.334
754038	201.00	202.00	1.00	1465	0.147	2.93	0.7	0.051	41	0.082	0.238
754039	202.00	203.00	1.00	2840	0.284	5.68	1.4	0.104	91	0.182	0.482
754040	203.00	204.00	1.00	1905	0.191	3.81	1.2	0.111	50	0.100	0.322
754041	204.00	205.00	1.00	2510	0.251	5.02	1.5	0.106	90	0.180	0.449
754042	205.00	206.00	1.00	1585	0.159	3.17	0.8	0.032	51	0.102	0.260
754043	206.00	207.00	1.00	2890	0.289	5.78	2	0.058	126	0.252	0.532
754044	207.00	208.00	1.00	4880	0.488	9.76	4.1	0.060	156	0.312	0.794
754045	208.00	209.00	1.00	6640	0.664	13.28	3.5	0.116	148	0.296	0.974
754046	209.00	210.00	1.00	11100	1.110	22.20	7.1	0.124	270	0.540	1.647
754047	210.00	211.00	1.00	3230	0.323	6.46	2.4	0.070	230	0.460	0.746
754048	211.00	212.00	1.00	2640	0.264	5.28	2.6	0.051	271	0.542	0.749
754049	212.00	213.00	1.00	4620	0.462	9.24	3.4	0.118	200	0.400	0.859
754050	213.00	214.00	1.00	4470	0.447	8.94	3.1	0.081	202	0.404	0.832
754051	214.00	215.00	1.00	3930	0.393	7.86	3	0.066	207	0.414	0.780
754052	215.00	216.00	1.00	3660	0.366	7.32	2.8	0.077	127	0.254	0.622
754053	216.00	217.00	1.00	5530	0.553	11.06	4	0.054	186	0.372	0.906
754054	217.00	218.00	1.00	3200	0.320	6.40	2.5	0.068	180	0.360	0.660
754055	218.00	219.00	1.00	6050	0.605	12.10	4.7	0.100	218	0.436	1.032
754056	219.00	220.00	1.00	3260	0.326	6.52	2.8	0.051	146	0.292	0.604
754057	220.00	221.00	1.00	2710	0.271	5.42	5.2	0.584	132	0.264	0.739
754058	221.00	222.00	1.00	2100	0.210	4.20	4.4	0.329	132	0.264	0.578
754059	222.00	223.00	1.00	5760	0.576	11.52	5.9	0.096	169	0.338	0.927
754060	223.00	224.00	1.00	5790	0.579	11.58	4.5	0.096	204	0.408	0.980
754061	224.00	225.00	1.00	3800	0.380	7.60	2.3	0.108	345	0.690	1.008

Ticket #	From (m)	To (m)	Length (m)	Cu (ppm)	Cu (%)	Cu (lbs/ton)	Ag (g/t)	Au (g/t)	Mo (ppm)	Mo (lbs/ton)	Cu Eqv. (%)
754062	225.00	226.00	1.00	2160	0.216	4.32	1.2	0.037	135	0.270	0.462
754063	226.00	227.00	1.00	2530	0.253	5.06	2.3	0.110	172	0.344	0.594
754064	227.00	228.00	1.00	2920	0.292	5.84	3	1.045	207	0.414	1.044
755702	228.00	229.00	1.00	6530	0.653	13.06	11	0.333	525	1.050	1.715
755703	229.00	230.00	1.00	2510	0.251	5.02	1.2	0.043	164	0.328	0.547
755705	230.00	231.00	1.00	3350	0.335	6.70	1.4	0.036	159	0.318	0.621
755706	231.00	232.00	1.00	2550	0.255	5.10	1.4	0.033	152	0.304	0.529
755707	232.00	233.00	1.00	2600	0.260	5.20	1.9	0.093	92	0.184	0.459
755708	233.00	234.00	1.00	3030	0.303	6.06	2	0.099	132	0.264	0.571
755709	234.00	235.00	1.00	960	0.096	1.92	0.4	0.017	61	0.122	0.206
755710	235.00	236.00	1.00	1390	0.139	2.78	0.9	0.025	126	0.252	0.363
755711	236.00	237.00	1.00	2250	0.225	4.50	1.3	0.050	196	0.392	0.578
755712	237.00	238.00	1.00	1510	0.151	3.02	0.8	0.040	168	0.336	0.450
755713	238.00	239.00	1.00	1615	0.162	3.23	0.9	0.037	151	0.302	0.432
755714	239.00	240.00	1.00	1205	0.121	2.41	0.9	0.046	132	0.264	0.363
755715	240.00	241.00	1.00	2080	0.208	4.16	1	0.042	165	0.330	0.504
755716	241.00	242.00	1.00	3230	0.323	6.46	2.1	0.052	192	0.384	0.674
755717	242.00	243.00	1.00	1995	0.200	3.99	1.1	0.026	154	0.308	0.472
755718	243.00	244.00	1.00	3860	0.386	7.72	2.6	0.095	172	0.344	0.723
755719	244.00	245.00	1.00	7100	0.710	14.20	4.4	0.057	198	0.396	1.086
755720	245.00	246.00	1.00	7870	0.787	15.74	4.9	0.062	152	0.304	1.091
755721	246.00	247.00	1.00	11600	1.160	23.20	6.4	0.123	122	0.244	1.446
755722	247.00	248.00	1.00	7190	0.719	14.38	4.1	0.104	199	0.398	1.113
755723	248.00	249.00	1.00	2300	0.230	4.60	1.6	0.025	220	0.440	0.615
755724	249.00	250.00	1.00	2170	0.217	4.34	2	0.044	196	0.392	0.571
755725	250.00	251.00	1.00	1825	0.183	3.65	1.7	0.028	142	0.284	0.439
755726	251.00	252.00	1.00	2950	0.295	5.90	2.1	0.081	154	0.308	0.594
755727	252.00	253.00	1.00	6130	0.613	12.26	4.3	0.162	184	0.368	1.005
755728	253.00	254.00	1.00	2530	0.253	5.06	1.5	0.046	146	0.292	0.522
755729	254.00	255.00	1.00	9010	0.901	18.02	5.3	0.121	146	0.292	1.220
755730	255.00	256.00	1.00	10300	1.030	20.60	7.3	0.142	234	0.468	1.515
755731	256.00	257.00	1.00	4020	0.402	8.04	3	0.060	233	0.466	0.830
755732	257.00	258.00	1.00	7560	0.756	15.12	5.3	0.086	234	0.468	1.208
755733	258.00	259.00	1.00	7580	0.758	15.16	6.2	0.092	262	0.524	1.264
755734	259.00	260.00	1.00	7010	0.701	14.02	4.6	0.085	187	0.374	1.071
755735	260.00	261.00	1.00	4050	0.405	8.10	2.3	0.033	157	0.314	0.692
Wtd. Avg.			72.00	4154	0.415	8.64	2.9	0.107	159.2	0.321	0.737

Copper equivalent is calculated using assumed metal prices of US \$1.80/lb Cu, US \$460/oz Au, US \$30.00/lb Mo, and US \$7.00/oz Ag, and is not adjusted for metallurgical recoveries, as these remain unknown. The formula used is as follows: Cu Eqv. (%) = [(Cu\$+Ag\$+Au\$+Mo\$)/1.8]/22. (500 ppm = 0.05 % = 1.0 lbs/ton)

Basemetal and silver values (Copper, Silver, Molybdenum) were determined by induced coupled plasma (ICP) after an aqua regia acid digestion. Gold values were determined by fire assay extraction on 30 gram samples followed by an atomic absorption (AA) finish. Assays exceeding 10,000 parts per million copper were repeated using multi acid digestion and atomic absorption (AA). Check assays were run on high values. Blind standards were inserted approximately every 40 samples. Preparation of the samples outlined in this news release were carried out by ALS Chemex in Thunder Bay and assaying was carried out by ALS Chemex in North Vancouver.

Mega Uranium Ltd (TSX-V: MGA) and East West Resource Corporation each hold a 50% interest in both the Hamlin and Deaty Shebandowan properties.

The project set out above is being supervised by R. Middleton, P.Eng. who is the Qualified Person and the person responsible for quality control of the assaying and reporting.

Mega Uranium Ltd. is a Toronto-based mineral resources company with a focus on uranium properties in Australia, Argentina, Mongolia and Canada. Further information on Mega can be found on the company's website at www.megauranium.com

This news release contains forward-looking statements within the meaning of the "safe harbour" provisions of the Private Securities Litigation Reform Act of 1995. These forward-looking statements are subject to risks and uncertainties and other factors that may cause Mega's results to differ materially from expectations. These include risks relating to market fluctuations, property performance and other risks. These forward-looking statements speak only as of the date hereof. Mega Uranium disclaims any intent or obligation to update these forward-looking statements and cautions investors from placing undue reliance on forward-looking statements. Mega does have an ongoing obligation to disclose material information as it becomes available.

THE TSX VENTURE EXCHANGE HAS NOT REVIEWED AND DOES NOT ACCEPT RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

For further information, please contact:
Mega Uranium Ltd.
Sheldon Inwentash, CEO
Telephone: (416) 643-7630
info@megauranium.com
www.megauranium.com