



PRESS RELEASE

MEGA URANIUM LTD.: "MGA" (TSX-V)

FOR IMMEDIATE RELEASE: April 5, 2006

**HAMLIN COPPER DEPOSIT EXPANDED IN FOOTWALL
SHEBANDOWAN CAMP, THUNDER BAY, ONTARIO**

- **Footwall phases tested for first time by holes HAM-06-53 and HAM-06-54**
- **0.42 % Copper equivalent (0.23% copper) over 84.50m in HAM-06-53 including 1.33% Copper equivalent (1.05% copper) over 6m**
- **0.46% Copper equivalent (0.24% copper) over 51.50 m in HAM-06-54 including 0.70% Copper equivalent (0.42% copper) over 10m**
- **Additional width can be added to expand the copper zone**
- **Continuity of copper mineralization confirmed from surface**
- **Cutting of wider copper zones continues on original cores**

Toronto, Ontario, Canada, April 5, 2006 – Mega Uranium Ltd. ("Mega") (MGA-TSX-V) (through its Maple Minerals division) and East West Resource Corporation (TSX-V: EWR) announce the completion of drilling of a two hole cross-section to examine the footwall mineralization in the Hamlin breccia hosted copper-molybdenum-silver-gold zone. Continuity of copper mineralization continued to be demonstrated in the footwall phase of the breccia. On previous sections, the footwall, or southern side of the breccia, was dominated with fragments of altered gabbro or diorite as opposed to felsic volcanic fragments in the north contact area. It originally appeared that the higher-grade copper zone was only associated with the northern contact area, hence less attention was paid to the footwall. In this section the footwall was well mineralized as long as there were smaller gabbro fragments and a dominant matrix of chlorite, and volcanics. This particular footwall phase was found to be 60-80m wide.

The winter drill program confirmed that copper values extended for over 800m at widths sometimes exceeded 100m. An expanded core cutting program is currently underway. Updates on the expansion of the widths will be reported once the assays are compiled.

HAM-06-53

Ticket #	From (m)	To (m)	Length (m)	Cu (ppm)	Cu (%)	Ag (g/t)	Au (g/t)	Mo (ppm)	Mo (lbs/ton)	Cu Eqv. (%)
755416	8.00	9.00	1.00	1205	0.12	0.7	0.157	122	0.24	0.39
755417	9.00	10.00	1.00	332	0.03	0.2	0.014	80	0.16	0.17
755418	10.00	11.00	1.00	1855	0.19	1.0	0.138	128	0.26	0.46
755419	11.00	12.00	1.00	162	0.02	0.0	0.006	70	0.14	0.14
755420	12.00	13.00	1.00	391	0.04	0.2	0.016	112	0.22	0.23
755421	13.00	14.00	1.00	418	0.04	0.2	0.025	110	0.22	0.24
755422	14.00	15.00	1.00	569	0.06	0.3	0.021	51	0.10	0.15
755423	15.00	16.00	1.00	1595	0.16	0.8	0.077	34	0.07	0.25
755424	16.00	17.00	1.00	180	0.02	0.0	0.008	95	0.19	0.18
755425	17.00	18.00	1.00	1720	0.17	0.7	0.056	86	0.17	0.34
755426	18.00	19.00	1.00	1495	0.15	0.5	0.330	87	0.17	0.42
755427	19.00	20.00	1.00	2810	0.28	1.3	0.132	124	0.25	0.54
755428	20.00	21.00	1.00	796	0.08	0.5	0.028	134	0.27	0.32
755429	21.00	22.00	1.00	658	0.07	0.3	0.021	68	0.14	0.19
755430	22.00	23.00	1.00	780	0.08	0.3	0.019	68	0.14	0.20
755431	23.00	24.00	1.00	3880	0.39	1.1	0.100	162	0.32	0.70
755432	24.00	25.00	1.00	745	0.07	0.3	0.020	89	0.18	0.23
755433	25.00	26.00	1.00	1385	0.14	0.4	0.046	88	0.18	0.30
755434	26.00	27.00	1.00	991	0.10	0.5	0.032	158	0.32	0.38
755435	27.00	28.00	1.00	813	0.08	0.3	0.023	129	0.26	0.31
755436	28.00	29.00	1.00	81	0.01	0.0	0.000	197	0.39	0.34
755437	29.00	30.00	1.00	685	0.07	0.2	0.018	77	0.15	0.20
755438	30.00	31.00	1.00	882	0.09	0.5	0.018	94	0.19	0.25
755439	31.00	32.00	1.00	2550	0.26	1.5	0.107	94	0.19	0.46
755440	32.00	33.00	1.00	1395	0.14	1.7	0.045	105	0.21	0.34
755441	33.00	34.00	1.00	2730	0.27	1.9	0.142	112	0.22	0.52
755442	34.00	35.00	1.00	1030	0.10	0.6	0.037	105	0.21	0.30
755443	35.00	36.00	1.00	1180	0.12	0.6	0.033	80	0.16	0.27
755444	36.00	37.00	1.00	865	0.09	0.8	0.037	103	0.21	0.28
755445	37.00	38.00	1.00	2870	0.29	1.6	0.089	110	0.22	0.51
755446	38.00	39.00	1.00	1505	0.15	0.8	0.024	40	0.08	0.23
755447	39.00	40.00	1.00	764	0.08	0.8	0.039	76	0.15	0.22
755448	40.00	41.00	1.00	839	0.08	0.5	0.084	64	0.13	0.22
755449	41.00	42.00	1.00	6000	0.60	2.9	0.078	89	0.18	0.79
755450	42.00	43.00	1.00	6270	0.63	3.2	0.068	89	0.18	0.82
759951	43.00	44.00	1.00	1320	0.13	1.0	0.065	170	0.34	0.45
759952	44.00	45.00	1.00	1630	0.16	1.1	0.054	49	0.10	0.27
759953	45.00	46.00	1.00	1645	0.16	0.9	0.034	90	0.18	0.33
759954	46.00	47.00	1.00	299	0.03	0.2	0.009	102	0.20	0.20
759955	47.00	48.00	1.00	708	0.07	0.4	0.015	168	0.34	0.36
759957	48.00	48.50	0.50	2050	0.21	3.1	0.184	164	0.33	0.56
759958	48.50	49.00	0.50	16200	1.62	8.9	0.363	44	0.09	1.88
759959	49.00	50.00	1.00	9830	0.98	3.8	0.302	59	0.12	1.22
759960	50.00	50.90	0.90	13100	1.31	4.9	0.301	68	0.14	1.56
759961	50.90	51.50	0.60	16400	1.64	6.8	0.405	67	0.13	1.94
759962	51.50	52.00	0.50	7490	0.75	3.1	0.104	52	0.10	0.89
759963	52.00	53.00	1.00	16100	1.61	8.4	0.740	69	0.14	2.05
759964	53.00	54.00	1.00	2820	0.28	1.6	0.053	100	0.20	0.48
759965	54.00	55.00	1.00	817	0.08	0.4	0.024	15	0.03	0.12
759966	55.00	56.00	1.00	1945	0.19	1.5	0.073	51	0.10	0.32
759967	56.00	57.00	1.00	624	0.06	0.3	0.018	151	0.30	0.32
759968	57.00	58.00	1.00	3210	0.32	1.6	0.124	357	0.71	0.97
759969	58.00	59.00	1.00	5050	0.51	3.3	0.203	14	0.03	0.62
759970	59.00	60.00	1.00	776	0.08	0.5	0.022	45	0.09	0.16
759971	60.00	61.00	1.00	2500	0.25	1.6	0.083	66	0.13	0.40
759972	61.00	62.00	1.00	6460	0.65	3.8	0.116	92	0.18	0.86
759973	62.00	63.00	1.00	2530	0.25	1.9	0.038	209	0.42	0.63

759974	63.00	64.00	1.00	1275	0.13	0.7	0.013	59	0.12	0.23
759975	64.00	65.00	1.00	6250	0.63	2.2	0.083	98	0.20	0.83
759976	65.00	66.00	1.00	2510	0.25	1.6	0.047	164	0.33	0.55
759977	66.00	67.00	1.00	1025	0.10	0.4	0.035	116	0.23	0.31
759978	67.00	68.00	1.00	1760	0.18	0.9	0.021	134	0.27	0.41
759979	68.00	69.00	1.00	595	0.06	0.3	0.006	94	0.19	0.22
759980	69.00	70.00	1.00	1545	0.15	0.6	0.017	160	0.32	0.43
759981	70.00	71.00	1.00	688	0.07	0.4	0.009	80	0.16	0.21
759982	71.00	72.00	1.00	650	0.07	0.5	0.015	142	0.28	0.31
759983	72.00	73.00	1.00	856	0.09	3.5	0.426	66	0.13	0.37
759984	73.00	74.00	1.00	2150	0.22	1.0	0.031	201	0.40	0.57
759985	74.00	75.00	1.00	3710	0.37	1.4	0.052	188	0.38	0.71
759986	75.00	76.00	1.00	3340	0.33	1.4	0.050	124	0.25	0.57
759987	76.00	77.00	1.00	1860	0.19	0.8	0.029	33	0.07	0.26
759988	77.00	78.00	1.00	1180	0.12	0.8	0.020	46	0.09	0.21
759989	78.00	79.00	1.00	88	0.01	0.3	0.039	3	0.01	0.03
759990	79.00	80.00	1.00	352	0.04	0.2	0.007	16	0.03	0.07
759991	80.00	81.50	1.50	515	0.05	0.2	0.011	23	0.05	0.10
759992	81.50	82.90	1.40	130	0.01	0.0	0.000	15	0.03	0.04
759993	82.90	83.90	1.00	9990	1.00	4.0	0.087	57	0.11	1.15
759994	83.90	84.80	0.90	3580	0.36	1.2	0.029	58	0.12	0.47
759995	84.80	86.00	1.20	846	0.08	0.3	0.007	50	0.10	0.17
759996	86.00	87.50	1.50	279	0.03	0.0	0.005	35	0.07	0.09
759997	87.50	88.90	1.40	267	0.03	0.0	0.005	21	0.04	0.06
759998	88.90	90.00	1.10	445	0.04	0.0	0.011	59	0.12	0.15
759999	90.00	91.50	1.50	2170	0.22	0.7	0.043	78	0.16	0.37
760000	98.00	99.00	1.00	735	0.07	0.3	0.009	37	0.07	0.14
Wtd. Avg.			84.50	2313	0.23	1.2	0.071	91	0.18	0.42

HAM-06-54

Ticket #	From (m)	To (m)	Length (m)	Cu (ppm)	Cu (%)	Ag (g/t)	Au (g/t)	Mo (ppm)	Mo (lbs/ton)	Cu Eqv. (%)
760056	14.00	15.00	1.00	4250	0.43	1.8	0.169	92	0.18	0.65
760057	15.00	16.00	1.00	1925	0.19	0.9	0.099	71	0.14	0.35
760058	16.00	17.00	1.00	1640	0.16	0.8	0.067	176	0.35	0.49
760059	17.00	18.00	1.00	1235	0.12	0.6	0.040	116	0.23	0.34
760060	18.00	19.00	1.00	1295	0.13	0.7	0.035	118	0.24	0.34
760061	19.00	20.00	1.00	2600	0.26	1.0	0.053	229	0.46	0.67
760062	20.00	20.90	0.90	1200	0.12	0.5	0.027	133	0.27	0.35
760063	20.90	21.90	1.00	3810	0.38	2.7	0.086	284	0.57	0.90
760064	21.90	23.00	1.10	1205	0.12	0.7	0.035	85	0.17	0.28
760065	23.00	24.00	1.00	1300	0.13	0.6	0.049	119	0.24	0.35
760066	24.00	25.00	1.00	1200	0.12	0.8	0.015	121	0.24	0.33
760067	25.00	26.00	1.00	5780	0.58	2.8	0.055	117	0.23	0.81
760068	26.00	27.00	1.00	6220	0.62	2.6	0.127	107	0.21	0.86
760069	27.00	28.00	1.00	7050	0.71	3.1	0.171	68	0.14	0.90
760070	28.00	29.00	1.00	4080	0.41	1.8	0.067	165	0.33	0.72
760071	29.00	30.00	1.00	4890	0.49	2.2	0.097	245	0.49	0.95
760072	30.00	31.00	1.00	2090	0.21	1.5	0.037	81	0.16	0.37
760073	31.00	32.00	1.00	4780	0.48	2.7	0.080	64	0.13	0.63
760074	32.00	33.00	1.00	3240	0.32	3.9	0.200	132	0.26	0.64
760075	33.00	34.00	1.00	2190	0.22	5.0	0.752	179	0.36	0.83
760076	34.00	35.00	1.00	711	0.07	0.7	0.028	274	0.55	0.54
760077	35.00	36.00	1.00	3770	0.38	1.9	0.039	198	0.40	0.73
760078	36.00	36.55	0.55	6810	0.68	4.4	0.045	235	0.47	1.11
760079	36.55	37.55	1.00	277	0.03	0.3	0.008	39	0.08	0.10
760080	37.55	39.00	1.45	3410	0.34	2.0	0.085	199	0.40	0.72

760081	39.00	40.00	1.00	1790	0.18	0.8	0.022	89	0.18	0.34
760082	40.00	41.00	1.00	1865	0.19	1.0	0.027	75	0.15	0.33
760083	41.00	42.00	1.00	1140	0.11	0.5	0.011	83	0.17	0.26
760084	42.00	43.00	1.00	3270	0.33	1.5	0.038	56	0.11	0.44
760085	43.00	44.00	1.00	2900	0.29	1.4	0.029	68	0.14	0.42
760086	44.00	45.00	1.00	1610	0.16	0.7	0.022	67	0.13	0.28
760087	45.00	46.00	1.00	1730	0.17	0.9	0.020	104	0.21	0.36
760088	46.00	47.00	1.00	3020	0.30	2.2	0.065	84	0.17	0.48
760089	47.00	48.00	1.00	3030	0.30	1.4	0.023	79	0.16	0.45
760090	48.00	49.00	1.00	951	0.10	0.6	0.011	102	0.20	0.27
760092	49.00	50.00	1.00	587	0.06	0.4	0.017	176	0.35	0.36
760093	50.00	51.00	1.00	2600	0.26	1.4	0.028	96	0.19	0.44
760094	51.00	52.00	1.00	2360	0.24	1.0	0.015	61	0.12	0.35
760095	52.00	53.00	1.00	1425	0.14	1.0	0.013	100	0.20	0.32
760096	53.00	54.00	1.00	1525	0.15	0.9	0.016	60	0.12	0.26
760097	54.00	55.00	1.00	359	0.04	0.5	0.008	58	0.12	0.14
760098	55.00	56.00	1.00	780	0.08	0.8	0.050	97	0.19	0.26
760099	56.00	57.00	1.00	90	0.01	0.4	0.028	6	0.01	0.03
760100	57.00	58.00	1.00	3080	0.31	2.3	0.081	88	0.18	0.50
761651	58.00	59.00	1.00	2260	0.23	3.2	0.111	89	0.18	0.43
761652	59.00	60.00	1.00	2380	0.24	2.1	0.034	66	0.13	0.37
761653	60.00	61.00	1.00	1160	0.12	0.8	0.013	86	0.17	0.27
761654	61.00	62.00	1.00	1410	0.14	1.1	0.021	48	0.10	0.24
761655	62.00	63.00	1.00	2270	0.23	2.2	0.056	98	0.20	0.42
761656	63.00	64.00	1.00	1270	0.13	1.0	0.019	50	0.10	0.22
761657	64.00	65.50	1.50	1845	0.18	1.2	0.027	70	0.14	0.32
Wtd. Avg.			51.50	2389	0.24	1.5	0.064	111	0.22	0.46

Copper equivalent is calculated using assumed metal prices of US \$1.80/lb Cu, US \$460/oz Au, US \$30.00/lb Mo, and US \$7.00/oz Ag, and is not adjusted for metallurgical recoveries, as these remain unknown. The formula used is as follows: Cu Eqv. (%) = [(Cu\$+Ag\$+Au\$+Mo\$)/1.8]/22. (500 ppm = 0.05 % = 1.0 lbs/ton)

The drilling program will now continue from the east side of Hamlin Creek, where testing of other IP (induced polarization) anomalies is concluded, to the Deaty Creek extension to the north east.

When analysing for basemetal and silver values (Copper, Silver, and Molybdenum) were determined by ICP (inductively coupled plasma) after an aqua regia digestion. Assays exceeding 100 grams silver and 10,000 parts per million (ppm) copper were repeated using multi acid digestion and atomic absorption (AA). Check assays were run on high values.

Gold values were determined by fire assay extraction on 30 gram samples followed by an AA finish.

Preparations of the samples outlined in this news release were carried out by ALS Chemex in Thunder Bay and assaying was carried out by ALS Chemex in North Vancouver.

Mega Uranium Ltd (TSX-V: MGA) and East West Resource Corporation each hold a 50% interest in both the Hamlin and Deaty Creek-Shebandowan properties.

The project set out above is being supervised by R. Middleton, P.Eng. who is the Qualified Person and the person responsible for quality control of the assaying and reporting. More details are available on SEDAR at www.sedar.com.

Mega Uranium Ltd. is a Toronto-based mineral resources company with a focus on uranium properties in Australia, Argentina, Mongolia, Bolivia and Canada. Further information on Mega can be found on the company's website at www.megauranium.com

This news release contains forward-looking statements within the meaning of the "safe harbour" provisions of the Private Securities Litigation Reform Act of 1995. These forward-looking statements are subject to risks and uncertainties and other factors that may cause Mega's results to differ materially from expectations. These include risks relating to market fluctuations, property performance and other risks. These forward-looking statements speak only as of the date hereof. Mega Uranium disclaims any intent or obligation to update these forward-looking statements and cautions investors from placing undue reliance on forward-looking statements. Mega does have an ongoing obligation to disclose material information as it becomes available.

THE TSX VENTURE EXCHANGE HAS NOT REVIEWED AND DOES NOT ACCEPT RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

For further information, please contact:

Mega Uranium Ltd.

Sheldon Inwentash, CEO

Telephone: (416) 643-7630

info@megauranium.com

www.megauranium.com